


Aerial Map



McCall

AUCTIONS &
REAL ESTATE

Maps Provided By:



surety
CUSTOMIZED ONLINE MAPPING

© AgriData, Inc. 2023

www.AgriDataInc.com

Boundary Center: 42° 3' 32.49, -95° 56' 32.62

26-84N-44W
Monona County
Iowa



0ft 1997ft 3994ft



Field borders provided by Farm Service Agency as of 5/21/2008.

8/29/2025

Soils Map



State: **Iowa**
 County: **Monona**
 Location: **26-84N-44W**
 Township: **Kennebec**
 Acres: **317.57**
 Date: **8/29/2025**

McCall
 AUCTIONS &
 REAL ESTATE

Maps Provided By:

surety
 CUSTOMIZED ONLINE MAPPING
 © AgriData, Inc. 2023 www.AgriDataInc.com



Soils data provided by USDA and NRCS.

Area Symbol: IA133, Soil Area Version: 36

Code	Soil Description	Acres	Percent of field	CSR2 Legend	Non-Irr Class *c	*i Corn Bu	*i Soybeans Bu	CSR2**	*n NCCPI Corn	*n NCCPI Soybeans
1G	Ida silt loam, 30 to 40 percent slopes	94.29	29.8%		VIIe	88.0	25.5	6	17	11
3E	Castana silt loam, 14 to 20 percent slopes	53.34	16.8%		IVe	142.4	41.3	38	62	62
12C	Napier silt loam, 5 to 9 percent slopes	43.36	13.7%		IIIe	214.4	62.2	89	86	87
12D	Napier silt loam, 9 to 14 percent slopes	34.08	10.7%		IIIe	177.6	51.5	62	78	79
2G	Hamburg silt loam, 40 to 75 percent slopes	23.89	7.5%		VIIe	88.0	25.5	5	17	10
1F3	Ida silt loam, 20 to 30 percent slopes, severely eroded	16.63	5.2%		VIe	88.0	25.5	8	17	10
1F	Ida silt loam, 20 to 30 percent slopes	15.25	4.8%		VIe	88.0	25.5	7	18	13
1E	Ida silt loam, 14 to 20 percent slopes	10.48	3.3%		IVe	113.6	32.9	25	64	72
10D2	Monona silt loam, 9 to 14 percent slopes, eroded	8.97	2.8%		IIIe	164.8	47.8	60	76	70
1E3	Ida silt loam, 14 to 20 percent slopes, severely eroded	3.14	1.0%		IVe	97.6	28.3	18	57	54
12B	Napier silt loam, 2 to 5 percent slopes	2.83	0.9%		IIe	230.4	66.8	93	87	89
10E2	Monona silt loam, 14 to 20 percent slopes, eroded	2.42	0.8%		IVe	153.6	44.5	45	71	63
1D3	Ida silt loam, 9 to 14 percent slopes, severely eroded	2.12	0.7%		IIIe	126.4	36.7	32	60	58

Soils data provided by USDA and NRCS.

Code	Soil Description	Acres	Percent of field	CSR2 Legend	Non-Irr Class *c	*i Corn Bu	*i Soybeans Bu	CSR2**	*n NCCPI Corn	*n NCCPI Soybeans
1D	Ida silt loam, 9 to 14 percent slopes	1.99	0.6%		IIIe	142.4	41.3	41	67	77
5051	Fluvaquents, ponded	1.40	0.4%		VIII	88.0	25.5	5		
33D	Steinauer clay loam, 9 to 14 percent slopes	1.21	0.4%		IVe	120.0	34.8	33	60	60
10D3	Monona silt loam, 9 to 14 percent slopes, severely eroded	0.59	0.2%		IIIe	171.2	49.6	53	72	61
510C2	Monona silt loam, terrace, 5 to 9 percent slopes, eroded	0.46	0.1%		IIIe	211.2	61.2	88	78	73
5040	Udorthents, loamy	0.44	0.1%			88.0	25.5	5		
670	Rawles silt loam, 0 to 2 percent slopes, occasionally flooded	0.36	0.1%		IIw	211.2	61.2	82	79	84
10C2	Monona silt loam, 5 to 9 percent slopes, eroded	0.23	0.1%		IIIe	211.2	61.2	86	81	76
3D	Castana silt loam, 9 to 14 percent slopes	0.09	0.0%		IIIe	180.8	52.4	54	67	69
Weighted Average					*-	130.2	37.7	33	*n 46.2	*n 43.6

**IA has updated the CSR values for each county to CSR2.

*i Yield data provided by the ISPAID Database version 8.1.1 developed by IA State University.

*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

*- Non Irr Class weighted average cannot be calculated on the current soils data due to missing data.